

**STAGE 1
MARCH 21, 2023**

FPID: 437318-1-52-01

EXHIBIT A



SCOPE OF SERVICES
FOR
FINANCIAL PROJECT ID(S). 437318-1-52-01

FEDERAL PROJECT NO.

DISTRICT TWO

Duval County

1 PURPOSE..... 3

2 PROJECT DESCRIPTION..... 4

3 PROJECT COMMON AND PROJECT GENERAL TASKS..... 15

4 ROADWAY ANALYSIS 20

5 ROADWAY PLANS..... 23

6b DRAINAGE PLANS 25

7 UTILITIES..... 26

8 ENVIRONMENTAL PERMITS, COMPLIANCE AND CLEARANCES..... 26

9 STRUCTURES - SUMMARY AND MISCELLANEOUS TASKS AND DRAWINGS27

18 STRUCTURES - MISCELLANEOUS..... 28

19 SIGNING AND PAVEMENT MARKING ANALYSIS..... 30

20 SIGNING AND PAVEMENT MARKING PLANS..... 31

23 LIGHTING ANALYSIS 32

24 LIGHTING PLANS 34

27 SURVEY..... 34

28 PHOTOGRAMMETRY 37

30 TERRESTRIAL MOBILE LiDAR..... 40

35 GEOTECHNICAL 42

36 PROJECT REQUIREMENTS..... 49

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

SCOPE OF SERVICES FOR CONSULTING ENGINEERING SERVICES

HIGHWAY AND BRIDGE/STRUCTURAL DESIGN

This Exhibit forms an integral part of the agreement between the State of Florida Department of Transportation (hereinafter referred to as the DEPARTMENT or FDOT) and

_____ (hereinafter referred to as the CONSULTANT) relative to the transportation facility described as follows:

FINANCIAL PROJECT ID: **437318-1-52-01**

FEDERAL PROJECT NO.

COUNTY: **Duval**

COUNTY SECTION: **72090000**

Project Description: **SR 228 from the Hart Bridge to Beach Blvd**

1 PURPOSE

The purpose of this Exhibit is to describe the scope of work and the responsibilities of the CONSULTANT and the DEPARTMENT in connection with the design and preparation of a complete set of construction contract documents and incidental engineering services, as necessary, for improvements to the transportation facility described herein.

Major work mix includes: **0012 Resurfacing**

Major work groups include: **3.1**

Minor work groups include: **4.1.1, 7.1, 7.2, 8.1, 8.2, 8.3, 9.1, 9.2**

Known alternative construction contracting methods include: **N/A**

The general objective is for the CONSULTANT to prepare a set of contract documents including plans, specifications, supporting engineering analysis, calculations and other technical documents in accordance with FDOT policy, procedures and requirements. These Contract documents will be used by the contractor to build the project and test the project components. These Contract documents will be used by the DEPARTMENT or its Construction Engineering Inspection (CEI) representatives for inspection and final acceptance of the project. The CONSULTANT shall follow a systems engineering process to ensure that all required project components are included in the development of the Contract documents and the project can be built as designed and to specifications.

The Scope of Services establishes which items of work in the Plans Preparation Manual and other pertinent manuals are specifically prescribed to accomplish the work included in this contract, and also indicate which items of work will be the responsibility of the CONSULTANT and/or the DEPARTMENT.

The CONSULTANT shall be aware that as a project is developed, certain modifications and/or improvements to the original concepts may be required. The CONSULTANT shall incorporate these refinements into the design and consider such refinements to be an

anticipated and integral part of the work. This shall not be a basis for any supplemental fee request(s).

The CONSULTANT shall demonstrate good project management practices while working on this project. These include communication with the DEPARTMENT and others as necessary, management of time and resources, and documentation. The CONSULTANT shall set up and maintain throughout the design of the project a contract file in accordance with DEPARTMENT procedures. CONSULTANTs are expected to know the laws and rules governing their professions and are expected to provide services in accordance with current regulations, codes and ordinances and recognized standards applicable to such professional services. The Consultant shall provide qualified technical and professional personnel to perform to Department standards and procedures, the duties and responsibilities assigned under the terms of this agreement. The Consultant shall minimize to the maximum extent possible the Department's need to apply its own resources to assignments authorized by the Department.

The DEPARTMENT will provide contract administration, management services, and technical reviews of all work associated with the development and preparation of contract documents, including Construction documents. The Department's technical reviews are for high-level conformance and are not meant to be comprehensive reviews. The CONSULTANT shall be fully responsible for all work performed and work products developed under this Scope of Services. The DEPARTMENT may provide job-specific information and/or functions as outlined in this contract, if favorable.

2 PROJECT DESCRIPTION

The CONSULTANT shall investigate the status of the project and become familiar with concepts and commitments (typical sections, alignments, etc.) developed from prior studies and/or activities. If a Preliminary Engineering Report is available from a prior or current Project Development and Environmental (PD&E) study, the CONSULTANT shall use the approved concepts as a basis for the design unless otherwise directed by the DEPARTMENT.

To recondition concrete and asphalt pavements on SR 228 mainline from the south end of the Hart Bridge to a pavement joint west of Parental Home Road on Beach Boulevard, at off and on ramps, and underpass at University Blvd within the Limited Access right of way, improve safety, provide plans for lighting retrofit at crosswalks, provide plans to fix broken and non-traversable drainage structures and other drainage features, provide paving markings and signing plans, analyze and provide plans for Pier Protection Barrier if needed.

2.1 Project General and Roadway (Activities 3, 4, and 5)

Public Involvement: *N/A*

Other Agency Presentations/Meetings: *N/A*

Joint Project Agreements: *N/A*

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

Specification Package Preparation:

Value Engineering: *N/A*

Risk Assessment Workshop: *N/A*

Plan Type: *plan only*

Typical Section:

1. *Urban Divided Highway: 4 – 12' Travel Lanes with 8' paved median with concrete barrier and 2-2' curb & gutter outside (MP 8.220 – 8.389).*
2. *Urban Divided Highway: 4 – 12' Travel Lanes with 2-3' inside paved shoulder, 14' outside paved shoulder with curb & gutter grass median (20'-30' width) and 2-2' curb & gutter outside (MP 8.389 – MP 8.567)*
3. *Urban Divided Highway: 4 – 12' Travel Lanes with 2-4' paved inside shoulder and grass median (30') and 2-10' paved outside shoulders (MP 8.567– MP 10.730).*
4. *Urban Divided Highway: 4 – 12' Travel Lanes with curb & gutter grass median (30'-20' width) and 2-10' paved outside shoulders with 2-2' curb & gutter (MP 10.730 – 10.907)*
5. *Urban Divided Highway: 4 – 12' Travel Lanes with 4' paved inside shoulders and median concrete barrier and 2-2' paved outside shoulders (MP 10.907 – 11.216).*

Pavement Design: **6**

Pavement Type Selection Report(s): *N/A*

Cross Slope: *Correct as needed.*

Access Management Classification: **1**

Transit Route Features: *N/A*

Major Intersections/Interchanges: ***SR 10 (Atlantic Blvd) and SR 109 (University Blvd)***

Roadway Alternative Analysis: *N/A*

Level of TCP Plans: **1**

Temporary Lighting: *N/A*

Temporary Signals: *N/A*

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

Temporary Drainage: *N/A*

Design Variations/Exceptions: ***Bridge Railing Variation, Bridge Shoulder Width Exception***

Back of Sidewalk Profiles: *N/A*

2.2 Drainage (Activities 6a and 6b)

System Type: *closed*

2.3 Utilities Coordination (Activity 7)

The DEPARTMENT will be responsible for performing Utility Coordination for this project.

The CONSULTANT shall assist by performing the following activities:

- Attending utility coordination meetings and keeping and distributing of minutes /action items of all utility meetings.
- Distributing all plans, conflict matrixes and changes to The DEPARTMENT's District Utility Office (DUO). See Design Staff Hour Estimation (SHE) Guidelines, Task 4.5.1 for utility conflict location identification and adjustments.

Comcast, JEA electric, JEA fiber, JEA water and sewer, TECO Peoples Gas, AT&T Distribution, Quanta Telecommunications Services LLC, Century link Fiber, Unity Fiber, Windstream Communications, AT&T fiber & Communications, Crown Castle Fiber, Level 3 Communications, MCI, Dark Fiber Systems

2.4 Environmental Permits, Compliances, and Clearances (Activity 8)

N/A

2.5 Structures (Activities 9 – 18)

Bridge(s): *N/A*

2.6 Signing and Pavement Markings (Activities 19 & 20)

2.7 Signalization (Activities 21 & 22) – N/A

2.8 Lighting (Activities 23 & 24)

Provide Lighting analysis of crosswalks for achieving retrofit levels

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

2.9 Landscape Architecture (Activities 25 & 26) – N/A

2.10 Survey (Activity 27)

Design Survey: *As required.*

Subsurface Utility Exploration -N/A

Right of Way Survey: *N/A*

2.11 Photogrammetry (Activity 28)

As required.

2.12 Mapping (Activity 29) – N/A

2.13 Terrestrial Mobile LiDAR (Activity 30)

As required.

2.14 Architecture (Activity 31) – N/A

2.15 Noise Barriers (Activity 32) – N/A

2.16 Intelligent Transportation Systems (Activities 33 & 34)

2.17 Geotechnical (Activity 35)

As required for multi post signs

2.18 Project Schedule

Within ten (10) days after the Notice-To-Proceed, and prior to the CONSULTANT beginning work, the CONSULTANT shall provide a detailed project activity/event schedule for DEPARTMENT and CONSULTANT scheduled activities required to meet the current DEPARTMENT Production Date. The schedule shall be based upon the *Department work program schedule*. The current production date is *8/27/2025*. The schedule shall be accompanied by an anticipated payout and fiscal progress curve. For the purpose of scheduling, the CONSULTANT shall allow for a *four* week review time for each phase submittal and any other submittals as appropriate.

The schedule shall indicate all required submittals.

All fees and price proposals are to be based on the negotiated schedule of **24** months for final construction contract documents. However, the contract deadline is **24** months from the Notice to Proceed.

Periodically, throughout the life of the contract, the project schedule and payout and fiscal progress curves shall be reviewed and, with the approval of the

DEPARTMENT, adjusted as necessary to incorporate changes in the Scope of Services and progress to date.

The approved schedule and schedule status report, along with progress and payout curves, shall be submitted with the monthly progress report.

The schedule shall be submitted in an FDOT system-compatible format.

2.19 Submittals

The CONSULTANT shall furnish construction contract documents as required by the DEPARTMENT to adequately control, coordinate, and approve the work concepts. The CONSULTANT shall distribute submittals as directed by the DEPARTMENT. The DEPARTMENT will determine the specific number of copies required prior to each submittal.

2.20 Provisions for Work

All work shall be prepared with English units in accordance with the latest editions of standards and requirements utilized by the DEPARTMENT which include, but are not limited to, publications such as:

- General
 - Title 29, Part 1910, Standard 1910.1001, Code of Federal Regulations (29 C.F.R. 1910.1001) – Asbestos Standard for Industry, U.S. Occupational Safety and Health Administration (OSHA)
 - 29 C.F.R. 1926.1101 – Asbestos Standard for Construction, OSHA
 - 40 C.F.R. 61, Subpart M - National Emission Standard for Hazardous Air Pollutants (NESHAP), Environmental Protection Agency (EPA)
 - 40 C.F.R. 763, Subpart E – Asbestos-Containing Materials in Schools, EPA
 - 40 C.F.R. 763, Subpart G – Asbestos Worker Protection, EPA
 - Americans with Disabilities Act (ADA) Standards for Accessible Design
 - AASHTO – A Policy on Design Standards Interstate System
 - AASHTO – Roadside Design Guide
 - AASHTO – Roadway Lighting Design Guide
 - AASHTO – A Policy for Geometric Design of Highways and Streets
 - AASHTO – Highway Safety Manual
 - Rule Chapter 5J-17, Florida Administrative Code (F.A.C.), Minimum Technical Standards for Professional Surveyors and Mappers
 - Chapter 469, Florida Statutes (F.S.) – Asbestos Abatement
 - Rule Chapter 62-257, F.A.C., Asbestos Program
 - Rule Chapter 62-302, F.A.C., Surface Water Quality Standards
 - Code of Federal Regulations (C.F.R.)
 - Florida Administrative Codes (F.A.C.)
 - Chapters 20, 120, 215, 455, Florida Statutes (F.S.) – Florida Department of Business & Professional Regulations Rules
 - Florida Department of Environmental Protection Rules
 - FDOT Basis of Estimates Manual

- FDOT Computer Aided Design and Drafting (CADD) Manual
- FDOT Design Standards
- FDOT Flexible Pavement Design Manual
- FDOT - Florida Roundabout Guide
- FDOT Handbook for Preparation of Specifications Package
- FDOT Instructions for Design Standards
- FDOT Instructions for Structures Related Design Standards
- FDOT Manual of Uniform Minimum Standards for Design, Construction and Maintenance for Streets and Highways ("Florida Greenbook")
- FDOT Materials Manual
- FDOT Pavement Type Selection Manual
- FDOT Plans Preparation Manual
- FDOT Procedures and Policies
- FDOT Project Development and Environmental Manual
- FDOT Project Traffic Forecasting Handbook
- FDOT Public Involvement Handbook
- FDOT Rigid Pavement Design Manual
- FDOT Standard Specifications for Road and Bridge Construction
- FDOT Utility Accommodation Manual
- Federal Highway Administration (FHWA) - Manual on Uniform Traffic Control Devices (MUTCD)
- FHWA – National Cooperative Highway Research Program (NCHRP) Report 672, Roundabouts: An Informational Guide
- FHWA Roadway Construction Noise Model (RCNM) and Guideline Handbook
- Florida Fish and Wildlife Conservation Commission - Standard Manatee Construction Conditions 2005
- Florida Statutes (F.S.)
- Florida's Level of Service Standards and Guidelines Manual for Planning
- Model Guide Specifications – Asbestos Abatement and Management in Buildings, National Institute for Building Sciences (NIBS)
- Quality Assurance Guidelines
- Safety Standards
- Any special instructions from the DEPARTMENT
- Roadway
 - FDOT – Florida Intersection Design Guide
 - FDOT - Project Traffic Forecasting Handbook
 - FDOT - Quality/Level of Service Handbook
 - Florida's Level of Service Standards and Highway Capacity Analysis for the SHS
 - Transportation Research Board (TRB) - Highway Capacity Manual
- Permits
 - Chapter 373, F.S. – Water Resources
 - US Fish and Wildlife Service Endangered Species Programs
 - Florida Fish and Wildlife Conservation Commission Protected Wildlife Permits
 - Bridge Permit Application Guide, COMDTPUB P16591.3C
 - Building Permit

- Drainage
 - FDOT Bridge Hydraulics Handbook
 - FDOT Culvert Handbook
 - FDOT Drainage Manual
 - FDOT Erosion and Sediment Control Manual
 - FDOT Exfiltration Handbook
 - FDOT Hydrology Handbook
 - FDOT Open Channel Handbook
 - FDOT Optional Pipe Materials Handbook
 - FDOT Storm Drain Handbook
 - FDOT Stormwater Management Facility Handbook
 - FDOT Temporary Drainage Handbook
 - FDOT Drainage Connection Permit Handbook
 - FDOT Bridge Scour Manual
- Survey and Mapping
 - All applicable Florida Statutes and Administrative Codes
 - Applicable Rules, Guidelines Codes and authorities of other Municipal, County, State and Federal Agencies.
 - FDOT Aerial Surveying Standards for Transportation Projects Topic 550-020-002
 - FDOT Right of Way Mapping Handbook
 - FDOT Surveying Procedure Topic 550-030-101
 - Florida Department of Transportation Right of Way Procedures Manual
 - Florida Department of Transportation Surveying Handbook
 - Right of Way Mapping Procedure 550-030-015
- Traffic Engineering and Operations and ITS
 - AASHTO - An Information Guide for Highway Lighting
 - AASHTO - Guide for Development of Bicycle Facilities
 - FHWA Standard Highway Signs Manual
 - FDOT Manual on Uniform Traffic Studies (MUTS)
 - FDOT Median Handbook
 - FDOT Traffic Engineering Manual
 - Minimum Specifications for Traffic Control Signal Devices
 - National Electric Safety Code
 - National Electrical Code
- Florida's Turnpike Enterprise
 - Florida's Turnpike Plans Preparation and Practices Handbook (TPPPH)
 - Florida's Turnpike Lane Closure Policy
 - Florida's Turnpike Drainage Manual Supplement
 - Rigid Pavement Design Guide for Toll Locations with Electronic Toll Collection
 - Flexible Pavement Design Guide for Toll Locations with Electronic Toll Collection
 - Florida's Turnpike General Tolling Requirements (GTR)
 - Additional Florida's Turnpike Enterprise standards, guides, and policies for design and construction can be found on the FTE Design Website:
<http://design.floridasturnpike.com>

- Traffic Monitoring
 - American Institute of Steel Construction (AISC) Manual of Steel Construction, referred to as “AISC Specifications”
 - American National Standards Institute (ANSI) RP-8-00 Recommended Practice for Roadway Lighting
 - AASHTO AWS D1.1/ANSI Structural Welding Code – Steel
 - AASHTO D1.5/AWS D1.5 Bridge Welding Code
 - FHWA Traffic Detector Handbook
 - FDOT General Interest Roadway Data Procedure
 - FHWA Traffic Monitoring Guide
 - FDOT’s Traffic/Polling Equipment Procedures
- Structures
 - AASHTO Load and Resistance Factor Design (LRFD) Bridge Design Specifications and Interims
 - AASHTO LRFD Movable Highway Bridge Design Specifications and Interims
 - AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals, and Interims.
 - AASHTO/-AWS-D1. 5M/D1.5: An American National Standard Bridge Welding Code
 - AASHTO Guide Specifications for Structural Design of Sound Barriers
 - AASHTO Manual for Condition Evaluation and Load and Resistance Factor Rating (LRFR) of Highway Bridges
 - FDOT Bridge Load Rating Manual
 - FDOT Structures Manual
 - FDOT Structures Design Bulletins (available on FDOT Structures web site only)
 -
- Geotechnical
 - FHWA Checklist and Guidelines for Review of Geotechnical Reports and Preliminary Specifications
 - Manual of Florida Sampling and Testing Methods
 - Soils and Foundation Handbook
- Landscape Architecture
 - Florida Department of Agriculture and Consumer Services Grades and Standards for Nursery Plants
- Architectural
 - Building Codes
 - Florida Building Code:
 - Building
 - Fuel Gas
 - Mechanical
 - Plumbing
 - Existing Building

- Florida Accessibility Code for Building Construction
- Rule Chapter 60D, F.A.C., Division of Building Construction
- Chapter 553, F.S. – Building Construction Standards
- ANSI A117.1 2003 Accessible and Usable Building and Facilities
- Titles II and III, Americans With Disabilities Act (ADA), Public Law 101-336; and the ADA Accessibility Guidelines (ADAAG)
- Architectural – Fire Codes and Rules
 - National Fire Protection Association (NFPA) - Life Safety Code
 - NFPA 70 - National Electrical Code
 - NFPA 101 - Life Safety Code
 - NFPA 10 - Standard for Portable Fire Extinguishers
 - NFPA 11 - Standard for Low-Expansion Foam Systems
 - NFPA 11A - Standard for High- and Medium-Expansion Foam Systems
 - NFPA 12 - Standard for Carbon Dioxide Extinguishing Systems
 - NFPA 13 - Installation of Sprinkler Systems
 - NFPA 30 - Flammable and Combustible Liquids Code
 - NFPA 54 - National Gas Fuel Code
 - NFPA 58 - LP-Gas Code
 - Florida Fire Prevention Code as adopted by the State Fire Marshal – Consult with the Florida State Fire Marshal’s office for other frequently used codes.
- Architectural – Extinguishing Systems
 - NFPA 10 - Fire Extinguishers
 - NFPA 13 - Sprinkler
 - NFPA 14 - Standpipe and Hose System
 - NFPA 17 - Dry Chemical
 - NFPA 20 - Centrifugal Fire Pump
 - NFPA 24 - Private Fire Service Mains
 - NFPA 200 - Standard on Clean Agent Fire Extinguishing Systems
- Architectural – Detection and Fire Alarm Systems
 - NFPA 70 - Electrical Code
 - NFPA 72 - Standard for the Installation, Maintenance and Use of Local Protective Signaling Systems
 - NFPA 72E - Automatic Fire Detectors
 - NFPA 72G - Installation, Maintenance, and Use of Notification Appliances
 - NFPA 72H -Testing Procedures for Remote Station and Proprietary Systems
 - NFPA 74 - Household Fire Warning Equipment
 - NFPA 75 - Protection of Electronic Computer Equipment
- Architectural – Mechanical Systems
 - NFPA 90A - Air Conditioning and Ventilating Systems
 - NFPA 92A - Smoke Control Systems
 - NFPA 96 - Removal of Smoke and Grease-Laden Vapors from Commercial Cooking Equipment
 - NFPA 204M - Smoke and Heating Venting

- Architectural – Miscellaneous Systems
 - NFPA 45 - Laboratories Using Chemicals
 - NFPA 80 - Fire Doors and Windows
 - NFPA 88A - Parking Structures
 - NFPA 105- Smoke and Draft-control Door Assemblies
 - NFPA 110 - Emergency and Standby Power Systems
 - NFPA 220 - Types of Building Construction
 - NFPA 241 - Safeguard Construction, Alteration, and Operations
 - Rule Chapter 69A-47, F.A.C., Uniform Fire Safety For Elevators
 - Rule Chapter 69A-51, F.A.C., Boiler Safety
- Architectural – Energy Conservation
 - Rule Chapter 60D-4, F.A.C., Rules For Construction and Leasing of State Buildings To Insure Energy Conservation
 - Section 255.255, F.S., Life-Cycle Costs
- Architectural – Elevators
 - Rule Chapter 61C-5, F.A.C., Florida Elevator Safety Code
 - ASME A-17.1, Safety Code for Elevators and Escalators
 - Architectural – Floodplain Management Criteria
 - Section 255.25, F.S., Approval Required Prior to Construction or Lease of Buildings
 - Rules of the Federal Emergency Management Agency (FEMA)
- Architectural – Other
 - Rule Chapter 64E-6, F.A.C., Standards for On Site Sewage Disposal Systems (Septic Tanks)
 - Rule Chapter 62-600, F.A.C., Domestic Wastewater Facilities
 - Rule Chapter 62-761, F.A.C., Underground Storage Tank Systems
 - American Concrete Institute
 - American Institute of Architects - Architect's Handbook of Professional Practice
 - American Society for Testing and Materials - ASTM Standards
 - Brick Institute of America
 - DMS - Standards for Design of State Facilities
 - Florida Concrete Products Association
 - FDOT – ADA/Accessibility Procedure
 - FDOT – Building Code Compliance Procedure
 - FDOT – Design Build Procurement and Administration
 - LEED (Leadership in Energy and Environmental Design) Green Building Rating System
 - National Concrete Masonry Association
 - National Electrical Code
 - Portland Cement Association - Concrete Masonry Handbook
 - United State Green Building Council (USGBC)

2.21 Services to be Performed by the DEPARTMENT When appropriate and /or available, the DEPARTMENT will provide project data including:

- Numbers for field books.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

- Preliminary Horizontal Network Control.
- Access for the CONSULTANT to utilize the DEPARTMENT's Information Technology Resources.
- All Department agreements with Utility Agency Owner (UAO).
- All certifications necessary for project letting.
- Building Construction Permit Coordination (Turnpike)
- All information that may come to the DEPARTMENT pertaining to future improvements.
- All future information that may come to the DEPARTMENT during the term of the CONSULTANT's Agreement, which in the opinion of the DEPARTMENT is necessary for the prosecution of the work.
- Available traffic and planning data.
- All approved utility relocations.
- Project utility certification to the DEPARTMENT's Central Office.
- Any necessary title searches.
- Engineering standards review services.
- All available information in the possession of the DEPARTMENT pertaining to utility companies whose facilities may be affected by the proposed construction.
- All future information that may come to the DEPARTMENT pertaining to subdivision plans so that the CONSULTANT may take advantage of additional areas that can be utilized as part of the existing right of way.
- Systems traffic for Projected Design Year, with K, D, and T factors.
- Existing right of way maps.
- Existing cross slope data for all RRR projects.
- Existing pavement evaluation report for all RRR projects.
- PD&E Documents
- Design Reports
- Letters of authorization designating the CONSULTANT as an agent of the DEPARTMENT in accordance with F.S. 337.274.
- Phase reviews of plans and engineering documents.
- Regarding Environmental Permitting Services:
 - Approved Permit Document when available.
 - Approval of all contacts with environmental agencies.
 - General philosophies and guidelines of the DEPARTMENT to be used in the fulfillment of this contract. Objectives, constraints, budgetary limitations, and time constraints will be completely defined by the Project Manager.
 - Appropriate signatures on application forms.

3 PROJECT COMMON AND PROJECT GENERAL TASKS

Project Common Tasks

Project Common Tasks, as listed below, are work efforts that are applicable to many project activities, 4 (Roadway Analysis) through 35 (Geotechnical). These tasks are to be included in the project scope in each applicable activity when the described work is to be performed by the CONSULTANT.

Cost Estimates: The CONSULTANT shall be responsible for producing a construction cost estimate and reviewing and updating the cost estimate when scope changes occur and/or at milestones of the project. Prior to 60% plans and completion of quantities, the DEPARTMENT's Long Range Estimate (L.R.E.) system will be used to produce a conceptual estimate, according to District policy. Once the quantities have been developed (beginning at 60% plans and no later than 90% plans) the CONSULTANT shall be responsible for inputting the pay items and quantities into TRNS*PORT PES (Proposal Estimating System) through the use of the DEPARTMENT's Designer Interface for generating the summary of quantities and the FDOT's in-house estimates. A Summary of Pay Items sheet shall be prepared with all required Phase II, III, and IV Plans submittals.

Technical Special Provisions: The CONSULTANT shall provide Technical Special Provisions for all items of work not covered by the Standard Specifications for Road and Bridge Construction and the workbook of implemented modifications.

A Technical Special Provision shall not modify the first nine sections of the Standard Specifications and implemented modifications in any way. All modifications to other sections must be justified to the appropriate District Specifications Office to be included in the project's specifications package.

The Technical Special Provisions shall provide a description of work, materials, equipment and specific requirements, method of measurement and basis of payment. Proposed Technical Special Provisions will be submitted to the District Specifications Office for initial review at the time of the Phase III plans review submission to the DEPARTMENT's Project Manager. This timing will allow for adequate processing time prior to final submittal. The Technical Special Provisions will be reviewed for suitability in accordance with the Handbook for Preparation of Specification Packages. The District Specifications Office will forward the Technical Special Provisions to the District Legal Office for their review and comment. All comments will be returned to the CONSULTANT for correction and resolution. Final Technical Special Provisions shall be digitally signed and sealed in accordance with applicable Florida Statutes.

The CONSULTANT shall contact the appropriate District Specifications Office for details of the current format to be used before starting preparations of Technical Special Provisions.

Field Reviews: The CONSULTANT shall make as many trips to the project site as required to obtain necessary data for all elements of the project.

Technical Meetings: The CONSULTANT shall attend all technical meetings necessary to execute the Scope of Services of this contract. This includes meetings with DEPARTMENT and/or Agency staff, between disciplines and subconsultants, such as access management meetings, pavement design meetings, local governments, railroads, airports, progress review meetings (phase review), and miscellaneous meetings. The CONSULTANT shall prepare, and submit to the DEPARTMENT's Project Manager for review, the meeting minutes for all meetings attended by them. The meeting minutes are due within five (5) working days of attending the meeting.

Quality Assurance/Quality Control: It is the intention of the DEPARTMENT that design CONSULTANTS, including their subconsultant(s), are held responsible for their work, including plans review. The purpose of CONSULTANT plan reviews is to ensure that CONSULTANT plans follow the plan preparation procedures outlined in the Plans Preparation Manual, that state and federal design criteria are followed with the DEPARTMENT concept, and that the CONSULTANT submittals are complete. All subconsultant document submittals shall be submitted by the subconsultant directly to the CONSULTANT for their independent Quality Assurance/Quality Control review and subsequent submittal to the DEPARTMENT.

It is the CONSULTANT'S responsibility to independently and continually QC their plans and other deliverables. The CONSULTANT should regularly communicate with the DEPARTMENT's Design Project Manager to discuss and resolve issues or solicit opinions from those within designated areas of expertise.

The CONSULTANT shall be responsible for the professional quality, technical accuracy and coordination of all surveys, designs, drawings, specifications and other services furnished by the CONSULTANT and their subconsultant(s) under this contract.

The CONSULTANT shall provide a Quality Control Plan that describes the procedures to be utilized to verify, independently check, and review all maps, design drawings, specifications, and other documentation prepared as a part of the contract. The CONSULTANT shall describe how the checking and review processes are to be documented to verify that the required procedures were followed. The Quality Control Plan shall be one specifically designed for this project. The CONSULTANT shall submit a Quality Control Plan for approval within twenty (20) business days of the written Notice to Proceed and it shall be signed by the CONSULTANT's Project Manager and the CONSULTANT QC Manager. The Quality Control Plan shall include the names of the CONSULTANT's staff that will perform the quality control reviews. The Quality Control reviewer shall be a Florida Licensed Professional Engineer fully prequalified under F.A.C. 14-75 in the work type being reviewed. A marked up set of prints from a Quality Control Review indicating the reviewers for each component (structures, roadway, drainage, signals,

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

geotechnical, signing and marking, lighting, surveys, etc.) and a written resolution of comments on a point-by-point basis will be required, if requested by the DEPARTMENT, with each phase submittal. The responsible Professional Engineer, Landscape Architect, or Professional Surveyor & Mapper that performed the Quality Control review will sign a statement certifying that the review was conducted and found to meet required specifications.

The CONSULTANT shall, without additional compensation, correct all errors or deficiencies in the designs, maps, drawings, specifications and/or other products and services.

Independent Peer Review: When directed by the DEPARTMENT, a subconsultant may perform Independent Peer Reviews.

Independent Peer Review and a Constructability/Bidability Review for design Phase Plans document submittals are required on this project. These separate reviews shall be completed by someone who has not worked on the plan component that is being reviewed. These could include, but are not limited to a separate office under the Prime's umbrella, a subconsultant that is qualified in the work group being reviewed, or a CEI. It does not include persons who have knowledge of the day to day design efforts. The Constructability/Bidability Review shall be performed by a person with experience working on Department construction projects (CEI, Contractor, etc.).

The Independent Peer Review for design Phase Plans submittals shall ensure the plans meet the PPM, Design Standards and CADD Manual. The Constructability/Bidability Review shall ensure the project can be constructed and paid for as designed. Constructability/Bidability Reviews should be conducted prior to the Phase III and Phase IV submittals, using the Phase Review Checklist (Guidance Document 1-1-A) from the Construction Project Administration Manual (CPAM) as a minimum guideline. The CONSULTANT shall submit this checklist, as well as the "marked-up" set of plans during this review, and review comments and comment responses from any previous Constructability/Bidability reviews. These items will be reviewed by District Design and District Construction.

Supervision: The CONSULTANT shall supervise all technical design activities.

Coordination: The CONSULTANT shall coordinate with all disciplines of the project to produce a final set of construction documents.

Project General Tasks

Project General Tasks, described in Sections 3.1 through 3.7 below, represent work efforts that are applicable to the project as a whole and not to any one or more specific project activity. The work described in these tasks shall be performed by the CONSULTANT when included in the project scope.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

3.1 Public Involvement – N/A

3.1.1 Community Awareness Plan – N/A

3.1.2 Notifications – N/A

3.1.3 Preparing Mailing Lists – N/A

3.1.4 Median Modification Letters – N/A

3.1.5 Driveway Modification Letters – N/A

3.1.6 Newsletters – N/A

3.1.7 Renderings and Fly-Throughs – N/A

3.1.8 PowerPoint Presentations – N/A

3.1.9 Public Meeting Preparations – N/A

3.1.10 Public Meeting Attendance and Follow-up – N/A

3.1.11 Other Agency Meetings – N/A

3.1.12 Web Site – N/A

3.2 Joint Project Agreements – N/A

3.3 Specifications Package Preparation

The CONSULTANT shall prepare and provide a specifications package in accordance with the DEPARTMENT'S Handbook for the Preparation of Specification Packages and associated training. The CONSULTANT shall provide the DEPARTMENT names of at least two team members who have successfully completed the Specifications Package Preparation Training and will be responsible for preparing the Specifications Package for the project. The Specifications Package shall be prepared using the DEPARTMENT's Specs on the Web application. The CONSULTANT shall be able to document that the procedure defined in the Handbook for the Preparation of Specifications Packages is followed, which includes the quality assurance/quality control procedures. The specifications package shall address all items and areas of work and include any Mandatory Specifications, Modified Special Provisions, and Technical Special Provisions.

The specifications package must be submitted for review to the District Specifications Office at least 30 days prior to the contract package to Tallahassee or District due date, or sooner if required by the District Specifications Office. This submittal does not require signing and sealing and shall be coordinated through the District's Project Manager. The CONSULTANT shall coordinate with the DEPARTMENT on the submittal requirements, but at a minimum shall consist of

(1) the complete specifications package, (2) a copy of the marked-up workbook used to prepare the package, and (3) a copy of the final project plans.

Final submittal of the specifications package must occur at least 10 working days prior to the contract package to Tallahassee due date. This submittal shall be digitally signed, dated, and sealed in accordance with applicable Florida Statutes.

3.4 Contract Maintenance and Electronic Document Management System (EDMS)

Contract maintenance includes project management effort for complete setup and maintenance of files, developing monthly progress reports, schedule updates, work effort to develop and execute subconsultant agreements, etc.

3.5 Value Engineering (Multi-Discipline Team) Review- N/A

3.6 Prime Consultant Project Manager Meetings

Includes only the Prime Consultant Project Manager's time for travel and attendance at Activity Technical Meetings and other meetings listed in the meeting summary for Task 3.6 on tab 3 Project General Task of the staff hour forms. Staff hours for other personnel attending Activity Technical Meetings are included in the meeting task for that specific Activity.

3.7 Plans Update

The effort needed for Plans Update services will vary from project to project, depending on size and complexity of the project, as well as the duration of time spent "on the shelf".

Specific services will be negotiated as necessary as a contract amendment.

3.8 Post Design Services

Post Design Services may include, but not limited to, meetings, construction assistance, plans revisions, shop drawing review, survey services, as-built drawings, and load ratings. Specific services will be negotiated at a later date as necessary as a contract amendment.

Post Design Services are not intended for instances of CONSULTANT errors and/or omissions.

3.9 Digital Delivery

The CONSULTANT shall deliver final contract plans and documents in digital format. The final contract plans and documents shall be digitally signed and sealed files delivered to the DEPARTMENT on acceptable electronic media, as determined by the DEPARTMENT.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

3.10 Risk Assessment Workshop – N/A

3.11 Railroad, Transit and/or Airport Coordination

Craig Municipal Airport

3.12 Other Project General Tasks – N/A

4 ROADWAY ANALYSIS

The CONSULTANT shall analyze and document Roadway Tasks in accordance with all applicable manuals, guidelines, standards, handbooks, procedures, and current design memorandums.

4.1 Typical Section Package

The CONSULTANT shall provide an approved Typical Section Package prior to the first plans submittal.

4.2 Pavement Type Selection Report – N/A

4.3 Pavement Design Package

The CONSULTANT shall provide an approved Pavement Design Package prior to the Phase II plans submittal date.

4.4 Cross-Slope Correction

The CONSULTANT shall coordinate with the DEPARTMENT to obtain existing cross slope data, determine roadway limits where cross slope is potentially out of tolerance and determine a resolution.

4.5 Horizontal/Vertical Master Design Files

The CONSULTANT shall design the geometrics using the design standards that are most appropriate with proper consideration given to the design traffic volumes, design speed, capacity and levels of service, functional classification, adjacent land use, design consistency and driver expectancy, aesthetics, pedestrian and bicycle concerns, ADA requirements, elder road user policy, access management, PD&E documents and scope of work. The CONSULTANT shall also develop utility conflict information to be provided to project Utility Coordinator in the format requested by the DEPARTMENT, and shall review Utility Work Schedules.

4.6 Access Management – N/A

4.7 Roundabout Evaluation – N/A

4.8 Roundabout Final Design Analysis – N/A

4.9 Cross Section Design Files

The CONSULTANT shall establish and develop cross section design files in accordance with the CADD manual.

4.10 Traffic Control Analysis

The CONSULTANT shall design a safe and effective Traffic Control Plan to move vehicular and pedestrian traffic during all phases of construction. The design shall include construction phasing of roadways ingress and egress to existing property owners and businesses, routing, signing and pavement markings, and detour quantity tabulations, roadway pavement, drainage structures, ditches, front slopes, back slopes, drop offs within clear zone, and traffic monitoring sites. Special consideration shall be given to the construction of the drainage system when developing the construction phases. Positive drainage must be maintained at all times. The design shall include construction phasing of roadways to accommodate the construction or relocation of utilities when the contract includes Joint Project Agreements (JPAs).

The CONSULTANT shall investigate the need for temporary traffic signals, temporary lighting, alternate detour roads, and the use of materials such as sheet piling in the analysis. The Traffic Control Plan shall be prepared by a certified designer who has completed training as required by the DEPARTMENT. Before proceeding with the Traffic Control Plan, the CONSULTANT shall meet with the appropriate DEPARTMENT personnel. The purpose of this meeting is to provide information to the CONSULTANT that will better coordinate the Preliminary and Final Traffic Control Plan efforts.

The CONSULTANT shall consider the local impact of any lane closures or alternate routes. When the need to close a road is identified during this analysis, the CONSULTANT shall notify the DEPARTMENT's Project Manager as soon as possible. Proposed road closings must be reviewed and approved by the DEPARTMENT. Diligence shall be used to minimize negative impacts by appropriate specifications, recommendations or plans development. Local impacts to consider will be local events, holidays, peak seasons, detour route deterioration and other eventualities. CONSULTANT shall be responsible to obtain local authorities permission for use of detour routes not on state highways.

4.11 Master TCP Design Files

The CONSULTANT shall develop master Traffic Control Plan (TCP) files (for Level II and Level III only) showing each phase of the Traffic Control Plan.

4.12 Design Variations and Exceptions

If available, the DEPARTMENT shall furnish the Variation/Exception Report. The CONSULTANT shall prepare the documentation necessary to gain DEPARTMENT approval of all appropriate Design Variations and/or Design Exceptions before the first submittal.

4.13 Design Report

The CONSULTANT shall prepare all applicable report(s) as listed in the Project Description section of this scope.

The CONSULTANT shall submit to the DEPARTMENT design notes, data, and calculations to document the design conclusions reached during the development of the contract plans.

The design notes, data, and computations shall be recorded on size 8½"x11" sheets, fully titled, numbered, dated, indexed and signed by the designer and the checker. Computer output forms and other oversized sheets shall be folded to 8½"x11" size. The data shall be in a hardback folder for submittal to the DEPARTMENT.

4.14 Quantities

The CONSULTANT shall develop accurate quantities and the supporting documentation, including construction days when required.

4.15 Cost Estimate

4.16 Technical Special Provisions

4.17 Other Roadway Analyses

4.18 Field Reviews

4.19 Protection of Existing Structures

The CONSULTANT shall perform field reviews to identify existing structures within the project limits which may require settlement, vibration or groundwater monitoring by the contractor during construction. The CONSULTANT shall identify the necessary pay items to be included in the bid documents for the Protection of Existing Structures.

The CONSULTANT shall identify any existing structures beyond the limits described in Section 108 of the Standard Specifications which may require settlement, vibration or groundwater monitoring by the contractor during construction. Any identified structures shall be summarized and submitted to the DEPARTMENT for approval prior to being shown on the contract plans.

The list of structures identified for protection is provided in the plans for informational purposes for contractor bidding. The contractor is responsible for the

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

construction methods and protection of all structures. The CONSULTANT shall be responsible only for identifying necessary pay items and coordinating with the DEPARTMENT to identify a list of additional structures which may require settlement, vibration or groundwater monitoring.

4.20 Technical Meetings

4.21 Quality Assurance/Quality Control

4.22 Independent Peer Review

4.23 Supervision

4.24 Coordination

5 ROADWAY PLANS

The CONSULTANT shall prepare Roadway, Traffic Control, Utility Adjustment Sheets, plan sheets, notes, and details. The plans shall include the following sheets necessary to convey the intent and scope of the project for the purposes of construction.

- 5.1 Key Sheet
- 5.2 Summary of Pay Items Including Quantity Input
- 5.3 Typical Section Sheets
 - 5.3.1 Typical Sections
 - 5.3.2 Typical Section Details
- 5.4 General Notes/Pay Item Notes
- 5.5 Summary of Quantities Sheets – N/A

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

- 5.6 Project Layout**
- 5.7 Plan/Profile Sheet – N/A**
- 5.8 Profile Sheet – N/A**
- 5.9 Plan Sheet**
- 5.10 Special Profile – N/A**
- 5.11 Back-of-Sidewalk Profile Sheet – N/A**
- 5.12 Interchange Layout Sheet**
- 5.13 Ramp Terminal Details (Plan View)**
- 5.14 Intersection Layout Details – N/A**
- 5.15 Special Details**
- 5.16 Cross-Section Pattern Sheet(s) – N/A**
- 5.17 Roadway Soil Survey Sheet(s) – N/A**
- 5.18 Cross Sections – N/A**
- 5.19 Temporary Traffic Control Plan Sheets**
- 5.20 Temporary Traffic Control Cross Section Sheets**
- 5.21 Temporary Traffic Control Detail Sheets**
- 5.22 Utility Adjustment Sheets**
- 5.23 Selective Clearing and Grubbing Sheet(s)**
- 5.24 Project Network Control Sheet(s)**
- 5.25 Environmental Detail Sheets**

Preparation of detail sheets for potential environmental issues such as, underground fuel tanks and monitoring wells, septic tanks within the proposed right of way. All piping and pumps in association with the above referenced issues shall also be located and identified by the survey. The CONSULTANT shall relay to the DEPARTMENT any findings of contaminated soil, monitoring wells, or any features (particularly springs or sinks) relating to contamination or hazardous material.

Coordination with Permits/Environmental staff and preparing Dredge & Fill Detail sheets where applicable.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

5.26 Utility Verification Sheet(s) (SUE Data)

5.27 Quality Assurance/Quality Control

5.28 Supervision

6b DRAINAGE PLANS

The CONSULTANT shall prepare Drainage plan sheets, notes, and details. The plans shall include the following sheets necessary to convey the intent and scope of the project for the purposes of construction.

6b.1 Drainage Map (Including Interchanges)

6b.2 Bridge Hydraulics Recommendation Sheets-N/A

6b.3 Summary of Drainage Structures

6b.4 Optional Pipe/Culvert Material

6b.5 Drainage Structure Sheet(s) (Per Structure)

6b.6 Miscellaneous Drainage Detail Sheets

6b.7 Lateral Ditch Plan/Profile-N/A

6b.8 Lateral Ditch Cross Sections-N/A

6b.9 Retention/Detention Pond Detail Sheet(s)-N/A

6b.10 Retention Pond Cross Sections-N/A

6b.11 Erosion Control Plan Sheet(s)

6b.12 SWPPP Sheet(s)

6b.13 Quality Assurance/Quality Control

6b.14 Supervision

7 UTILITIES

The DEPARTMENT shall identify utility facilities and secure agreements, utility work schedules, and plans from the Utility Agency Owners (UAO) ensuring all conflicts that exist between utility facilities and the DEPARTMENT's construction project are addressed. The DEPARTMENT shall certify all utility negotiations have been completed and that arrangements have been made for utility work to be undertaken.

7.1 Utility Kickoff Meeting -To be performed by the Department.

7.2 Identify Existing Utility Agency Owner(s) -To be performed by the Department.

7.3 Make Utility Contacts -To be performed by the Department.

7.4 Exception Processing -To be performed by the Department.

7.5 Preliminary Utility Meeting

Consultant shall keep accurate meeting minutes and distribute a copy to all attendees.

7.6 Individual/Field Meetings - To be performed by the Department.

7.7 Collect and Review Plans and Data from UAO(s) - To be performed by the Department.

7.8 Subordination of Easements Coordination - To be performed by the Department.

7.9 Utility Design Meeting

The CONSULTANT shall be prepared to discuss drainage, traffic signalization, and maintenance of traffic (construction phasing), review the current design schedule and letting date, discuss any future design issues that may impact utilities, etc., to the extent that they may have an effect on existing or proposed utility facilities with particular emphasis on drainage and maintenance of traffic with each UAO. The intent of this meeting shall be to assist the UAOs in identifying and resolving conflicts between utilities and proposed construction before completion of the plans, including utility adjustment details. Also, to work with the UAOs to recommend potential resolution between known utility conflicts with proposed construction plans as may deemed practical by the UAO. The CONSULTANT shall keep accurate minutes of all meetings and distribute a copy to all attendees within 3 days. See Task 4.7 (Cross Section Design Files) for utility conflict location identification and adjustments.

7.10 Review Utility Markups & Work Schedules and Processing of Schedules & Agreements

To be performed by the DEPARTMENT. The CONSULTANT shall review each utility work schedule and compare it to the construction plans for accuracy as needed.

7.11 Utility Coordination/Follow-up - To be performed by the Department.

7.12 Utility Constructability Review - To be performed by the Department.

7.13 Additional Utility Services

To be performed by The DEPARTMENT. The CONSULTANT shall assist with utility permit reviews as needed and help develop utility conflict matrix to assist with identifying conflicts. **7.14 Processing Utility Work by Highway Contractor (UWHC) (Not applicable to this project)**

7.15 Contract Plans to UAO(s) - To be performed by the Department.

7.16 Certification/Close-Out - To be performed by the Department.

7.17 Other Utilities- To be performed by the Department.

8 ENVIRONMENTAL PERMITS, COMPLIANCE AND CLEARANCES – N/A

9 STRUCTURES - SUMMARY AND MISCELLANEOUS TASKS AND DRAWINGS

The CONSULTANT shall analyze, design, and develop contract documents for all structures in accordance with applicable provisions as defined in Section 2.19, Provisions for Work. Individual tasks identified in Sections 9 through 18 are defined in the Staff Hour Estimation Handbook and within the provision defined in Section 2. 20, Provisions for Work. Contract documents shall display economical solutions for the given conditions.

The CONSULTANT shall provide Design Documentation to the DEPARTMENT with each submittal consisting of structural design calculations and other supporting documentation developed during the development of the plans. The design calculations submitted shall adequately address the complete design of all structural elements. These calculations shall be neatly and logically presented on digital media or, at the DEPARTMENT's request, on 8 1/2"x11" paper and all sheets shall be numbered. The final design calculations shall be signed and sealed by a Florida-licensed professional engineer. A cover sheet indexing the contents of the calculations shall be included and the engineer shall sign and seal that sheet. All computer programs and parameters used in the design calculations shall include sufficient backup information to facilitate the review task.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

- 9.1 Key Sheet and Index of Drawings**
- 9.2 Project Layout**
- 9.3 General Notes and Bid Item Notes**
- 9.4 Miscellaneous Common Details**
- 9.5 Incorporate Report of Core Borings**
- 9.6 Existing Bridge Plans – N/A**
- 9.7 Assemble Plan Summary Boxes and Quantities**
- 9.8 Cost Estimate**
- 9.9 Technical Special Provisions**
- 9.10 Field Reviews**
- 9.11 Technical Meetings**
- 9.12 Quality Assurance/Quality Control**
- 9.13 Independent Peer Review**
- 9.14 Supervision**
- 9.15 Coordination**
- 18 STRUCTURES - MISCELLANEOUS**

The CONSULTANT shall prepare plans for Miscellaneous Structure(s) as specified in Section 2.5. Concrete Box Culverts

- 18.1 Concrete Box Culverts-N/A**
- 18.2 Concrete Box Culverts Extensions**
- 18.3 Concrete Box Culvert Data Table Plan Sheets**
- 18.4 Concrete Box Culvert Special Details Plan Sheets**

**STAGE 1
MARCH 21, 2023**

FPID: 437318-1-52-01

Strain Poles

- 18.5 Steel Strain Poles – N/A**
- 18.6 Concrete Strain Poles – N/A**
- 18.7 Strain Pole Data Table Plan Sheets – N/A**
- 18.8 Strain Pole Special Details Plan Sheets – N/A**

Mast Arms

- 18.9 Mast Arms – N/A**
- 18.10 Mast Arms Data Table Plan Sheets – N/A**
- 18.11 Mast Arms Special Details Plan Sheets – N/A**

Overhead/Cantilever Sign Structure

- 18.12 Cantilever Sign Structures -N/A**
- 18.13 Overhead Span Sign Structures – N/A**
- 18.14 Special (Long Span) Overhead Sign Structures– N/A**
- 18.15 Monotube Overhead Sign Structure– N/A**
- 18.16 Bridge Mounted Signs (Attached to Superstructure) – N/A**
- 18.17 Overhead/Cantilever Sign Structures Data Table Plan Sheets– N/A**
- 18.18 Overhead/Cantilever Sign Structures Special Details Plan Sheets– N/A**

High Mast Lighting

- 18.19 Non-Standard High Mast Lighting Structures– N/A**
- 18.20 High Mast Lighting Special Details Plan Sheets– N/A**

Noise Barrier Walls (Ground Mount)

- 18.21 Horizontal Wall Geometry– N/A**
- 18.22 Vertical Wall Geometry– N/A**
- 18.23 Summary of Quantities – Aesthetic Requirements– N/A**
- 18.24 Control Drawings– N/A**

Formatted: PM_Scope

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

18.25 Design of Noise Barrier Walls Covered by Standards– N/A

18.26 Design of Noise Barrier Walls not Covered by Standards– N/A

18.27 Aesthetic Details– N/A

Special Structures

18.28 Fender System– N/A

18.29 Fender System Access– N/A

18.30 Special Structures– N/A

18.31 Other Structures– N/A

19 SIGNING AND PAVEMENT MARKING ANALYSIS

The CONSULTANT shall analyze and document Signing and Pavement Markings Tasks in accordance with all applicable manuals, guidelines, standards, handbooks, procedures, and current design memorandums.

19.1 Traffic Data Analysis – N/A

19.2 No Passing Zone Study – N/A

19.3 Reference and Master Design File

The CONSULTANT shall prepare the Signing & Marking Design file to include all necessary design elements and all associated reference files.

19.4 Multi-Post Sign Support Calculations

The CONSULTANT shall determine the appropriate column size from the DEPARTMENT's Multi-Post Sign Program(s).

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

- 19.5 Sign Panel Design Analysis– N/A**
- 19.6 Sign Lighting/Electrical Calculations – N/A**
- 19.7 Quantities**
- 19.8 Cost Estimate**
- 19.9 Technical Special Provisions**
- 19.10 Other Signing and Pavement Marking Analysis**
- 19.11 Field Reviews**
- 19.12 Technical Meetings**
- 19.13 Quality Assurance/Quality Control**
- 19.14 Independent Peer Review**
- 19.15 Supervision**
- 19.16 Coordination**

20 SIGNING AND PAVEMENT MARKING PLANS

The CONSULTANT shall prepare a set of Signing and Pavement Marking Plans in accordance with all applicable manuals, guidelines, standards, handbooks, procedures, and current design memorandums that includes the following.

- 20.1 Key Sheet**
- 20.2 Summary of Pay Items Including TRNS*Port Input**
- 20.3 Tabulation of Quantities**
- 20.4 General Notes/Pay Item Notes**
- 20.5 Project Layout**
- 20.6 Plan Sheet**
- 20.7 Typical Details**

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

20.8 Guide Sign Work Sheet(s)

20.9 Traffic Monitoring Site

20.10 Cross Sections

20.11 Special Service Point Details

20.12 Special Details

20.13 Interim Standards

20.14 Quality Assurance/Quality Control

The CONSULTANT shall be responsible for the professional quality, technical accuracy and coordination of traffic design drawings, specifications and other services furnished by the CONSULTANT under this contract.

The CONSULTANT shall provide a Quality Control Plan that describes the procedures to be utilized to verify, independently check, and review all design drawings, specifications and other services prepared as a part of the contract. The CONSULTANT shall describe how the checking and review processes are to be documented to verify that the required procedures were followed. The Quality Control Plan may be one utilized by the CONSULTANT as part of their normal operation or it may be one specifically designed for this project.

20.15 Supervision

23 LIGHTING ANALYSIS

The CONSULTANT shall analyze and document Lighting Tasks in accordance with all applicable manuals, guidelines, standards, handbooks, procedures, and current design memorandums.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

- 23.1 Lighting Justification Report – N/A**
- 23.2 Lighting Design Analysis Report – N/A**
- 23.3 Aeronautical Evaluation – N/A**
- 23.4 Voltage Drop Calculations – N/A**
- 23.5 FDEP Coordination and Report – N/A**
- 23.6 Reference and Master Design Files – N/A**
- 23.7 Temporary Lighting – N/A**
- 23.8 Design Documentation– N/A**
- 23.9 Quantities**
- 23.10 Cost Estimate**
- 23.11 Technical Special Provisions**
- 23.12 Other Lighting Analysis**
- 23.13 Field Reviews**

The CONSULTANT shall collect information from the maintaining agencies and conduct a field review. The review should include but is not limited to the following:

- Existing Lighting Equipment
- Load Center, Capabilities and Condition/Age
- Condition of Lighting Structure(s)
- Verification of horizontal clearances
- Verification of breakaway requirements

23.14 Technical Meetings

23.15 Quality Assurance/Quality Control

23.16 Independent Peer Review

23.17 Supervision

23.18 Coordination

24 LIGHTING PLANS – N/A

27 SURVEY

The CONSULTANT shall perform survey tasks in accordance with all applicable statutes, manuals, guidelines, standards, handbooks, procedures, and current design memoranda.

The CONSULTANT shall submit all survey notes and computations to document the surveys. All field survey work shall be recorded in approved media and submitted to the DEPARTMENT. Field books submitted to the DEPARTMENT must be of an approved type. The field books shall be certified by the surveyor in responsible charge of work being performed before the final product is submitted.

The survey notes shall include documentation of decisions reached from meetings, telephone conversations or site visits. All like work (such as bench lines, reference points, etc.) shall be recorded contiguously. The DEPARTMENT may not accept field survey radial locations of section corners, platted subdivision lot and block corners, alignment control points, alignment control reference points and certified section corner references. The DEPARTMENT may instead require that these points be surveyed by true line, traverse or parallel offset.

27.1 Horizontal Project Control (HPC)

Establish or recover HPC, for the purpose of establishing horizontal control on the Florida State Plane Coordinate System or datum approved by the District Surveyor (DS) or District Location Surveyor (DLS); may include primary or secondary control points. Includes analysis and processing of all field collected data, and preparation of forms.

27.2 Vertical Project Control (VPC)

Establish or recover VPC, for the purpose of establishing vertical control on datum approved by the District Surveyor (DS) or the District Location Surveyor (DLS).; may include primary or secondary vertical control points. Includes analysis and processing of all field collected data, and preparation of forms.

27.3 Alignment and/or Existing Right of Way (R/W) Lines

Establish, recover or re-establish project alignment. Also includes analysis and processing of all field collected data, existing maps, and/or reports for identifying mainline, ramp, offset, or secondary alignments. Depict alignment and/or existing R/W lines (in required format) per DEPARTMENT R/W Maps, platted or dedicated rights of way.

27.4 Aerial Targets

Place, locate, and maintain required aerial targets and/or photo identifiable points. Includes analysis and processing of all field collected data, existing maps, and/or reports. Placement of the targets will be at the discretion of the aerial firm.

27.5 Reference Points

Reference Horizontal Project Network Control (HPNC) points, project alignment, vertical control points, section, ¼ section, center of section corners and General Land Office (G.L.O.) corners as required.

27.6 Topography/Digital Terrain Model (DTM) (3D)

Locate all above ground features and improvements for the limits of the project by collecting the required data for the purpose of creating a DTM with sufficient density. Shoot all break lines, high and low points. Effort includes field edits, analysis and processing of all field collected data, existing maps, and/or reports.

27.7 Planimetric (2D)

Locate all above ground features and improvements. Deliver in appropriate electronic format. Effort includes field edits, analysis and processing of all field collected data, existing maps, and/or reports.

27.8 Roadway Cross Sections/Profiles

Perform cross sections or profiles. May include analysis and processing of all field-collected data for comparison with DTM.

27.9 Side Street Surveys

Refer to tasks of this document as applicable.

27.10 Underground Utilities

Designation includes 2-dimensional collection of existing utilities and selected 3-dimensional verification as needed for designation. Location includes non-destructive excavation to determine size, type and location of existing utility, as necessary for final 3-dimensional verification. Survey includes collection of data on points as needed for designates and locates. Includes analysis and processing of all field collected data, and delivery of all appropriate electronic files.

27.11 Outfall Survey– N/A

27.12 Drainage Survey

Locate underground data (XYZ, pipe size, type, condition and flow line) that relates to above ground data. Includes field edits, analysis and processing of all field collected data, existing maps, and/or reports.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

27.13 Bridge Survey (Minor/Major) – N/A

27.14 Channel Survey – N/A

27.15 Pond Site Survey – N/A

27.16 Mitigation Survey – N/A

27.17 Jurisdiction Line Survey – N/A

27.18 Geotechnical Support

Perform 3-dimensional (X,Y,Z) field location, or stakeout, of boring sites established by geotechnical engineer. Includes field edits, analysis and processing of all field collected data and/or reports.

27.19 Sectional/Grant Survey – N/A

27.20 Subdivision Location – N/A

27.21 Maintained R/W – N/A

27.22 Boundary Survey – N/A

27.23 Water Boundary Survey – N/A

27.24 Right of Way Staking, Parcel / Right of Way Line – N/A

27.25 Right of Way Monumentation – N/A

27.26 Line Cutting – N/A

27.27 Work Zone Safety

27.28 Miscellaneous Surveys – N/A

27.29 Supplemental Surveys – N/A

27.30 Document Research – N/A

27.31 Field Review

Perform verification of the field conditions as related to the collected survey data.

27.32 Technical Meetings

Attend meetings as required and negotiated by the Surveying and Mapping Department.

27.33 Quality Assurance/Quality Control (QA/QC)

Establish and implement a QA/QC plan. Also includes subconsultant review, response to comments and any resolution meetings if required, preparation of submittals for review, etc.

27.34 Supervision

Perform all activities required to supervise and coordinate project. These activities must be performed by the project supervisor, a Florida P.S.M. or their delegate as approved by the District Surveying Office.

27.35 Coordination

Coordinate survey activities with other disciplines. These activities must be performed by the project supervisor, a Florida P.S.M. or their delegate as approved by the District Surveying Office.

28 PHOTOGRAMMETRY

The CONSULTANT shall perform photogrammetric tasks in accordance with all applicable statutes, manuals, guidelines, standards, handbooks, procedures, and current design memoranda.

In addition to the maps and photographic products, the CONSULTANT shall submit all computations to document the mapping. This will include documentation of all decisions reached from meetings, telephone conversations, and site visits.

28.1 Flight Preparation

Review record data, create target diagrams, and plan the mission.

28.2 Control Point Coordination

Determine photo identifiable control points, and mark contact prints.

28.3 Mobilization

Perform pre- and post flight aircraft inspection; prepare the aircraft and camera for the mission.

28.4 Flight Operations

Operate the aircraft, aerial camera, and other instruments to obtain aerial photography.

28.5 Film Processing

Process, check, and annotate the aerial film.

28.6 Photo Products

Prepare contact prints, contact diapositives, and photo enlargements.

28.7 Scanning

Scan photographic images.

28.8 LiDAR

Includes data acquisition, post processing of LiDAR data to XYZ coordinates for "bare earth" classification.

28.9 Aerial Triangulation

Measure and adjust control within aerial images.

28.10 Surfaces

Includes collection of break lines and spot elevations.

28.11 Ortho Generation

Includes creation of final images.

28.12 Rectified Digital Imagery (Georeferenced)

Create the rectified digital image.

28.13 Mosaicking

Create the mosaic.

28.14 Sheet Clipping

Create plot files for sheets from the database.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

28.15 Topographics (3D)

Prepare topographic maps including surface and planimetrics. (Photogrammetrist will not propose hours for Surfaces and Topographics.)

28.16 Planimetrics (2D)

Prepare 2D planimetric map.

28.17 Drainage Basin – N/A

28.18 CADD Edit

Perform final edit of graphics for delivery of required Microstation .dgn, CADD

28.19 Data Merging

Merge photogrammetric files, field survey files, and data from other sources.

28.20 Miscellaneous

Other tasks not specifically addressed in this document.

28.21 Field Review

Perform on site review of maps.

28.22 Technical Meetings

Attend meetings as required.

28.23 Quality Assurance/Quality Control

Establish and implement a QA/QC plan.

28.24 Supervision

Supervise all photogrammetric activities. This task must be performed by the project supervisor, a Florida P.S.M.

28.25 Coordination

Coordinate with all elements of the project to produce a final photogrammetric product.

30 TERRESTRIAL MOBILE LiDAR

The CONSULTANT shall perform Terrestrial Mobile LiDAR tasks in accordance with all applicable statutes, manuals, guidelines, standards, handbooks, procedures, and current design memoranda.

In addition to the maps and LiDAR products, the CONSULTANT shall submit all computations and reports to support the mapping. This will include documentation of all decisions reached from meetings, telephone conversations, and site visits.

30.1 Terrestrial Mobile LiDAR Mission Planning

Research and prepare materials necessary for the successful execution of the Mobile LiDAR Mission. This includes but is not limited to route and safety planning, GPS /data acquisition scheduling, weather reports, and site terrain research.

30.2 Project Control Point Coordination

All efforts necessary to coordinate the proper placement of project ground control i.e. base stations, transformation control points, and validation points, supporting the Mobile LiDAR survey.

30.3 Terrestrial Mobile LiDAR Mobilization

Prepare the LiDAR sensor and vehicle for project data collection, and get specialized personnel and equipment on site.

30.4 Terrestrial Mobile LiDAR Mission

Perform site calibrations of LiDAR sensor and collect laser survey data, including any simultaneous base station GPS occupations and operation of any necessary safety equipment.

30.5 Terrestrial Mobile LiDAR Processing

Download and post process collected measurement data from Mobile LiDAR vehicle sensors, and any base stations occupied during mission. Analyze Mobile LiDAR measurement points and scan route overlaps. Separate any large point cloud data sets into manageable file sizes with corresponding indexes.

30.6 Terrestrial Mobile Photography Processing

Process, reference, and name digital photographic imagery files collected during Mobile LiDAR mission.

30.7 Transformation / Adjustment

Adjust LiDAR point cloud data to Project Control points. Create point cloud data file(s) in approved digital format. Prepare required reports of precision and accuracy achieved. If this task is performed by separate firm, or is the final product to be delivered, include effort for Survey Report.

30.8 Classification / Editing

Identify and attribute (classify) point cloud data into requested groups. Classify or remove erroneous points.

30.9 Specific Surface Reporting

Prepare reports, data and/or graphics of specific surface details such as, but not limited to pavement rutting, bridge structure clearance to roadway surface.

30.10 Topographic (3D) Mapping

Produce three dimensional (3D) topographic survey map(s) from collected Mobile LiDAR data. This includes final preparation of Construction Information Management (CIM) deliverable, if applicable.

30.11 Topographic (2D) Planimetric Mapping

Produce two dimensional (2D) planimetric map(s) from collected Mobile LiDAR data.

30.12 CADD Edits

Perform final edit of graphics for delivery of required CADD files. This includes final presentation of CIM deliverable, if applicable.

30.13 Data Merging

Merge Mobile LiDAR survey and mapping files, with other field survey files, and data from other sources.

30.14 Miscellaneous

Other tasks not specifically addressed in this document.

30.15 Field Reviews

Perform on site review of maps.

30.16 Technical Meetings

Attend meetings as required.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

30.17 Quality Assurance/ Quality Control

Establish and implement a QA/QC plan.

30.18 Supervision

Supervise all Terrestrial Mobile LiDAR activities. This task must be performed by the project supervisor, a Florida P.S.M.

30.19 Coordination

Coordinate with all elements of the project to produce a final product.

35 GEOTECHNICAL

The CONSULTANT shall, for each project, be responsible for a complete geotechnical investigation. All work performed by the CONSULTANT shall be in accordance with DEPARTMENT standards, or as otherwise directed by the District Geotechnical Engineer. The District Geotechnical Engineer will make interpretations and changes regarding geotechnical standards, policies and procedures and provide guidance to the CONSULTANT.

Before beginning each phase of investigation and after the Notice to Proceed is given, the CONSULTANT shall submit an investigation plan for approval and meet with the DEPARTMENT's Geotechnical Engineer or representative to review the project scope and DEPARTMENT requirements. The investigation plan shall include, but not be limited to, the proposed boring locations and depths, and all existing geotechnical information from available sources to generally describe the surface and subsurface conditions of the project site. Additional meetings may be required to plan any additional field efforts, review plans, resolve plans/report comments, resolve responses to comments, and/or any other meetings necessary to facilitate the project.

The CONSULTANT shall notify the DEPARTMENT in adequate time to schedule a representative to attend all related meetings and field activities.

Structures

The CONSULTANT shall be responsible for coordination of all geotechnical related fieldwork activities. The CONSULTANT shall retain all samples until acceptance of Phase IV plans. Rock cores shall be retained as directed in writing by the District Geotechnical Engineer.

CONSULTANT shall perform specialized field-testing as required by needs of project and as directed in writing by the District Geotechnical Engineer.

All laboratory testing and classification will be performed in accordance with applicable DEPARTMENT standards, ASTM Standards or AASHTO Standards, unless otherwise specified in the Contract Documents.

The staff hour tasks for high embankment fills and structural foundations for bridges, box culverts, walls, high-mast lighting, overhead signs, mast arm signals, strain poles, buildings, and other structures include the following:

35.1 Document Collection and Review

CONSULTANT will review printed literature including topographic maps, county agricultural maps, aerial photography (including historic photos), ground water resources, geology bulletins, potentiometric maps, pile driving records, historic construction records and other geotechnical related resources. Prior to field reconnaissance, CONSULTANT shall review U.S.G.S., S.C.S. and potentiometric maps, and identify areas with problematic soil and groundwater conditions.

35.2 Develop Detailed Boring Location Plan

Develop a detailed boring location plan. Meet with DEPARTMENT Geotechnical Project Manager for boring plan approval. If the drilling program expects to encounter artesian conditions, the CONSULTANT shall submit a methodology(s) for plugging the borehole to the DEPARTMENT for approval prior to commencing with the boring program.

35.3 Stake Borings/Utility Clearance

Stake borings and obtain utility clearance.

35.4 Muck Probing – N/A

35.5 Coordinate and Develop MOT Plans for Field Investigation

Coordinate and develop Maintenance of Traffic (MOT) plan. All work zone traffic control will be performed in accordance with the DEPARTMENT's Roadway and Traffic Design Standards Index 600 series.

35.6 Drilling Access Permits – N/A

35.7 Property Clearances – N/A

35.8 Groundwater Monitoring– N/A

35.9 LBR / Resilient Modulus Sampling – N/A

35.10 Coordination of Field Work

Coordinate all field work required to provide geotechnical data for the project.

35.11 Soil and Rock Classification - Roadway

Refine soil profiles recorded in the field, based on results of laboratory testing.

35.12 Design LBR

Determine design LBR values from the 90% and mean methods when LBR testing is required by the DEPARTMENT.

35.13 Laboratory Data

Tabulate laboratory test results for inclusion in the geotechnical report, the report of tests sheet (Roadway Soil Survey Sheet), and for any necessary calculations and analyses.

35.14 Seasonal High Water Table

Review the encountered ground water levels and estimate seasonal high ground water levels. Estimate seasonal low ground water levels, if requested.

35.15 Parameters for Water Retention Areas – N/A

35.16 Delineate Limits of Unsuitable Material – N/A

35.17 Electronic Files for Cross-Sections

Create electronic files of boring data for cross-sections.

35.18 Embankment Settlement and Stability – N/A

35.19 Protection of Existing Structures

Identify sensitive structures and facilities which will likely be adversely affected by construction operations including but not limited to paving, compaction, vibration installation or extraction of sheet pile or casing, pile driving, drilled shaft construction, excavations and changes in groundwater level etc. Determine whether these structures and facilities need to be monitored for settlement and vibration during construction. Provide recommended notes on geotechnical report and Plans addressing project specific needs. When there is risk of damage to the structure or facility ensure it is identified in the Plans for pre-construction and post-construction inspection in accordance with Specification 108. See PPM Volume I Chapter 34. List the location of the existing structures selected to be monitored during construction and coordinate those locations with the EOR.

35.20 Stormwater Volume Recovery and/or Background Seepage Analysis – N/A

35.21 Geotechnical Recommendations

Provide geotechnical recommendations regarding the proposed roadway construction project including the following: description of the site/alignment, design recommendations and discussion of any special considerations (i.e. removal of unsuitable material, consolidation of weak soils, estimated settlement time/amount, groundwater control, high groundwater conditions relative to pavement base, etc.) Evaluate and recommend types of geosynthetics and properties for various

applications, as required.

35.22 Pavement Condition Survey and Pavement Evaluation Report

If a pavement evaluation is performed, submit the report in accordance with Section 3.2 of the Materials Manual: Flexible Pavement Coring and Evaluation. Enter all core information into the Pavement Coring and Reporting (PCR) system.

35.23 Preliminary Roadway Report

If a preliminary roadway investigation is performed, submit a preliminary roadway report before the Phase I plans submittal. The purpose of the preliminary roadway report will be to assist in setting road grades and locating potential problems.

- Copies of U.S.G.S. and S.C.S. maps with project limits shown.
- A report of tests sheet that summarizes the laboratory test results, the soil stratification (i.e. soils grouped into layers of similar materials) and construction recommendations relative to Standard Indices 500 and 505.
- The results of all tasks discussed in all previous sections regarding data interpretation and analysis.
- An appendix that contains stratified soil boring profiles, laboratory test data sheets, sample embankment settlement and stability calculations, design LBR calculation/graphs, and other pertinent calculations.
- The CONSULTANT will respond in writing to any changes and/or comments from the DEPARTMENT and submit any responses and revised reports.

35.24 Final Report

The Final Roadway Report shall include the following:

- Copies of U.S.G.S. and S.C.S. maps with project limits shown.
- A report of tests sheet that summarizes the laboratory test results, the soil stratification (i.e. soils grouped into layers of similar materials) and construction recommendations relative to Standard Indices 500 and 505.
- The results of all tasks discussed in all previous sections regarding data interpretation and analysis.
- An appendix that contains stratified soil boring profiles, laboratory test data sheets, sample embankment settlement and stability calculations, design LBR calculation/graphs, and other pertinent calculations.
- The CONSULTANT will respond in writing to any changes and/or comments from the DEPARTMENT and submit any responses and revised reports.

35.25 Auger Boring Drafting

Draft auger borings as directed by the DEPARTMENT.

35.26 SPT Boring Drafting

Draft SPT borings as directed by the DEPARTMENT.

35.27 Develop Detailed Boring Location Plan

Develop a detailed boring location plan. Meet with DEPARTMENT Geotechnical Project Manager for boring plan approval. If the drilling program expects to encounter artesian conditions, the CONSULTANT shall submit a methodology(s) for plugging the borehole to the DEPARTMENT for approval prior to commencing with the boring program.

35.28 Stake Borings/Utility Clearance

Stake borings and obtain utility clearance.

35.29 Coordinate and Develop MOT Plans for Field Investigation

Coordinate and develop MOT plan. All work zone traffic control will be performed in accordance with the DEPARTMENT's Roadway and Traffic Design Standards Index 600 series.

35.30 Drilling Access Permits

Obtain all State, County, City, and Water Management District permits for performing geotechnical borings, as needed.

35.31 Property Clearances – N/A

35.32 Collection of Corrosion Samples

Collect corrosion samples for determination of environmental classifications.

35.33 Coordination of Field Work

Coordinate all field work required to provide geotechnical data for the project.

35.34 Soil and Rock Classification - Structures

Soil profiles recorded in the field should be refined based on the results of laboratory testing.

35.35 Tabulation of Laboratory Data

Laboratory test results should be tabulated for inclusion in the geotechnical report and for the necessary calculations and analyses.

35.36 Estimate Design Groundwater Level for Structures

Review encountered groundwater levels, estimate seasonal high groundwater levels,

and evaluate groundwater levels for structure design.

35.37 Selection of Foundation Alternatives (BDR)

Evaluation and selection of foundation alternative, including the following:

- GRS-IBS
- Spread footings
- Prestressed concrete piling - various sizes
- Steel H- piles
- Steel pipe piles
- Drilled shafts
- Foundation analyses shall be performed using approved DEPARTMENT methods. Assist in selection of the most economical, feasible foundation alternative.

35.38 Detailed Analysis of Selected Foundation Alternate(s)

Detailed analysis and basis for the selected foundation alternative. Foundation analyses shall be performed using approved DEPARTMENT methods and shall include:

- GRS-IBS (including the parameters identified in the Instructions for Developmental Design Standard D6025 to be provided by the Geotechnical Engineer)
- Spread footings (including soil bearing capacity, minimum footing width, and minimum embedment depth).
- For pile and drilled shaft foundations, provide graphs of ultimate axial soil resistance versus tip elevations. Calculate scour resistance and/or downdrag (negative skin friction), if applicable.
- CONSULTANT shall assist the Engineer of Record in preparing the Pile Data Table (including test pile lengths, scour resistance, downdrag, minimum tip elevation, etc.)
- Provide the design soil profile(s), which include the soil model/type of each layer and all soil-engineering properties required for the Engineer of Record to run the FBPier computer program. Review lateral analysis of selected foundation for geotechnical compatibility.
- Estimated maximum driving resistance anticipated for pile foundations.
- Provide settlement analysis.

35.39 Bridge Construction and Testing Recommendations – N/A

35.40 Lateral Load Analysis (Optional) – N/A

35.41 Walls – N/A

35.42 Sheet Pile Wall Analysis (Optional) – N/A

.

35.43 Design Soil Parameters for Signs, Signals, High Mast Lights, and Strain Poles and Geotechnical Recommendations

Provide the design soil profile(s) that include the soil model/type of each layer and all soil properties required by the Engineer of Record for foundation design. Review design for geotechnical compatibility and constructability.

35.44 Box Culvert Analysis – N/A

35.45 Preliminary Report – BDR – N/A

35.46 Final Report - Bridge and Associated Walls – N/A

35.47 Final Reports - Signs, Signals, Box Culvert, Walls, and High Mast Lights

The final reports shall include the following:

- Copies of U.S.G.S. and S.C.S. maps with project limits shown.
- Summary of structure background data, S.C.S., U.S.G.S., geologic and potentiometric data.
- The results of all tasks discussed in all previous sections regarding data interpretation and analysis).
- Recommendations for foundation installation, or other site preparation soils-related construction considerations with plan sheets as necessary.
- Any special provisions required for construction that are not addressed in the DEPARTMENT's Standard specification.
- An Appendix which includes SPT and CPT boring/sounding profiles, data from any specialized field tests, engineering analysis, notes/sample calculations, sheets showing ultimate bearing capacity curves versus elevation for piles and drilled shafts, a complete FHWA check list, pile driving records (if available), and any other pertinent information.

Final reports will incorporate comments from the DEPARTMENT and contain any additional field or laboratory test results, recommended foundation alternatives along with design parameters and special provisions for the contract plans. These reports will be submitted to the District Geotechnical Engineer for review prior to project completion. After review by the District Geotechnical Engineer, the reports will be submitted to the District Geotechnical Engineer in final form and will include the following:

- All original plan sheets (11" x 17")
- One set of all plan and specification documents, in electronic format, according to DEPARTMENT requirements
- Two sets of record prints
- Six sets of any special provisions
- All reference and support documentation used in preparation of contract plans package

Additional final reports (up to four), aside from stated above, may be needed and requested for the DEPARTMENT's Project Manager and other disciplines.

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

The final reports, special provisions, as well as record prints, will be signed and sealed by a Professional Engineer licensed in the State of Florida.

Draft the detailed boring/sounding standard sheet, including environmental classification, results of laboratory testing, and specialized construction requirements, for inclusion in final plans.

35.48 SPT Boring Drafting

Prepare a complete set of drawings to include all SPT borings, auger borings and other pertinent soils information in the plans. Include these drawings in the Final Geotechnical Report. Draft borings, location map, S.C.S. map and U.S.D.A. map as directed by the DEPARTMENT. Soil symbols must be consistent with those presented in the latest Florida Department of Transportation Soils and Foundations Handbook.

35.49 Other Geotechnical

Other geotechnical effort specifically required for the project as determined by the Department, and included in the geotechnical upset limit.

35.50 Technical Special Provisions

35.51 Field Reviews

Identify and note surface soil and rock conditions, surface water conditions and locations, and preliminary utility conflicts. Observe and note nearby structures and foundation types.

35.52 Technical Meetings

35.53 Quality Assurance/Quality Control

35.54 Supervision

35.55 Coordination

36 PROJECT REQUIREMENTS

36.1 Liaison Office

The DEPARTMENT and the CONSULTANT will designate a Liaison Office and a Project Manager who shall be the representative of their respective organizations for the Project. While it is expected the CONSULTANT shall seek and receive advice from various state, regional, and local agencies, the final direction on all matters of this project remain with the DEPARTMENT Project Manager.

36.2 Key Personnel

The CONSULTANT's work shall be performed and directed by the key personnel

identified in the proposal presentations by the CONSULTANT. Any changes in the indicated personnel shall be subject to review and approval by DEPARTMENT.

36.3 Progress Reporting

The CONSULTANT shall meet with the DEPARTMENT as required and shall provide a written monthly progress report with approved schedule, schedule status, and payout curve or by using the earned value method that describe the work performed on each task. The report will include assessing project risk through monthly documentation of identifying and updating the risk category and approach for monitoring those tasks. Invoices shall be submitted after the DEPARTMENT approves the monthly progress report and the payout curve or with earned value analysis. The Project Manager will make judgment on whether work of sufficient quality and quantity has been accomplished by comparing the reported percent complete against actual work accomplished.

36.4 Correspondence

Copies of all written correspondence between the CONSULTANT and any party pertaining specifically to this contract shall be provided to the DEPARTMENT for their records within one (1) week of the receipt or mailing of said correspondence.

36.5 Professional Endorsement

The CONSULTANT shall have a Licensed Professional Engineer in the State of Florida sign and seal all reports, documents, technical special provisions, and plans as required by DEPARTMENT standards.

36.6 Computer Automation

The project will be developed utilizing Computer Aided Drafting and Design (CADD) systems. The DEPARTMENT makes available software to help assure quality and conformance with policy and procedures regarding CADD. It is the responsibility of the CONSULTANT to meet the requirements in the DEPARTMENT's CADD Manual. The CONSULTANT shall submit final documents and files as described therein.

36.7 Coordination with Other Consultants

The CONSULTANT is to coordinate his work with any and all adjacent and integral consultants so as to effect complete and homogenous plans and specifications for the project(s) described herein.

36.8 Optional Services

At the DEPARTMENT's option, the CONSULTANT may be requested to provide optional services. The fee for these services shall be negotiated in accordance with the terms detailed in Exhibit B, Method of Compensation, for a fair, competitive and reasonable cost, considering the scope and complexity of the project(s). Additional

STAGE 1
MARCH 21, 2023

FPID: 437318-1-52-01

services may be authorized by Letter of Authorization or supplemental amendment in accordance with paragraph 2.00 of the Standard Consultant Agreement. The additional services may include Construction Assistance, Review of Shop Drawings, Final Bridge Load Rating, update (Category II) bridge plans electronically (CADD) for the Final "As-Built" conditions, based on documents provided by the DEPARTMENT (CADD Services Only) or other Services as required.